



SET UP Instruction

Caution: To move and assemble the machine 2 people are required. Be extreme careful by handling.



1. Cut the mounting from carton to the pallet.



2. Remove the carton which fixes the Plasmackage.



3. Remove the plasmackage carefully from the big package.



4. Open the package with a standard knife




5. Remove the cartnage in the package.



6. Remove the cartnage in the package.



7. Lift off the package.
You see the Virtual Pinball in hinged position.



8. Backstage you will find the operating manual the keys for Cashdoor and PC-Box.



9. To set up the Virtual Pinball open the PC Box.




10. Is the PC Box open, put it aside.



11 Remove the 4 screws from the bottom.



12. Put the screws aside and lift off the middlepart careful.



13. Virtual Pinball lift off.



14. Mount the middlepart with the 4 screws on the bottom.



15. The mounted middlepart with bottom.



16. Remove the package from Plasma.




17. Be careful by lift off the package.



18. There are 2 screws mounted at the left and right side to mounting.



19. Put the Plasma unit in the base-frame. Be careful.



20. Connect the power connector.



21 Connect the DVI connector.



22. Pull under the plasma fuse to save the plasma.



23. Now the plasma unit is locked.



Attention
24. Mount the plasma unit left and right with 2 screws on the base frame.
The 4 screws for mounting are fixed in the plasma unit.

If there are any questions please contact our hotline.

+43/7229/78040/250

www.tab.at